



en

2024

HANDMADE
IN GERMANY
SINCE 2004

summit

summit
prime

summit
Shine



„OUT WITH THE OLD,
MAKE ROOM FOR THE NEW.“

That's our approach with all our GLOBECAR models. The world is changing radically, yet van life is more popular than ever - and we are setting new standards in terms of design, exclusivity and ambience. Join us and discover a world of luxurious and comfortable travel – the world of GLOBECAR. Make visits to Europe's most beautiful locations an unforgettable and ever repeatable travel experience – in your new GLOBECAR.

“Travel the world – travel with Globecar.”

Yours, Robert Hein

HEAD OF MARKETING



MODEL SERIES

PAGE

Summit

4-7

Summit
prime

8-11

Summit
Shine

12-19

VAN EXTERIOR – SPATIAL MIRACLE INSIDE

Anyone who steps into a Summit can sense this tremendous spaciousness. Included are all the other benefits the Summit has to offer: such as exclusive framed windows, practical swing-wall bathroom or spacious washroom, high-quality lighting design, unparalleled interior designs and so much more.







OVERVIEW

summit


6.36 m
5.99 m
5.41 m



SUMMIT 540



SUMMIT 600



SUMMIT 640

DIMENSIONS in mm			
Length (approx.)	5,413	5,998	6,358
Width (approx.)	2,050	2,050	2,050
Height (approx.)	2,580	2,580	2,580
Wheelbase (approx.)	3,450	4,035	4,035
Interior height (approx.)	1,905	1,905	1,905
WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg			
Gross vehicle weight (standard)	3,500	3,500	3,500
Mass in running order (approx.)*	2,680	2,835	2,960
Maximum recommended load with 20 l water (approx.)	620	465	540
Towing capacity, unbraked/braked**	750 / 2,500**	750 / 2,500**	750 / 2,500**

* Weight specifications with standard built-in equipment. 165/180 HP and higher, +40 kg. The maximum recommended load will change with instalment of optional extras. ** Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT			
Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10
Fresh water tank, l (approx.)	60	100	100
Wastewater tank, l (approx.)	110	110	110
Gas cylinder box for (kg)	1 x 11 and 1 x 5	1 x 11 and 1 x 5	2 x 11
Battery charger, A	16	16	16
Battery	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah
230V power sockets	1 / 2	1 / 2	1 / 2
Refrigerator, l (capacity/for freezer)	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8
Absorber/compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES			
Plastic insulating windows (blinds)	5	4	5
Operable skylight with blackout and flyscreen blinds	1	2	2
Seats/three-point safety belts	4 / 4 (+1 optional)	4 / 4 (+1 optional)	4 / 4 (+1 optional)
Berths	2 (+1 optional)	2 (+1 optional)	2 (+1 optional)
Rear bed/Single bed in mm (approx.)	1,960 x 1,200/1,410	1,960 x 1,560/1,430	2,000/1,900 x 800 / alternative: 2,000/1,900 x 1,900
Bed lateral to sliding door in mm (approx., as standard)	1,800 x 500	1,800 x 700	1,800 x 700
Possible Isofix fittings	1	2	2



summit HIGHLIGHTS



SWING-WALL BATHROOM

The swing wall and pivotable toilet with scratch-resistant ceramic inlay create a lot of additional bathroom space. Storage compartment in swing wall available with sanitary package.

SEAT BENCH EXTENDABLE WITH THIRD SEAT

Turns two into three: extra seat creates a three-seater bench in an instant (optional, must be ordered ex works)



SOFT-CLOSE DRAWERS

Small but quite spacious kitchen ; with levels of home-like convenience.



FRAMED WINDOWS

Permanently integrated framed windows are a novelty in this class. Quality in every detail A must-have.



EASY MOVE TABLE (540 ONLY)

The practical Easy Move table that can be stowed away provides more legroom and greater safety on the road.




CHILD-SEAT FITTINGS

All rear seats are available with Isofix (optional)



summit




- ✔ Bench seat made of ergonomically shaped upholstery
- ✔ Additional space when travelling in the seating area thanks to the Easy Move table

Oak Copper Bora wood decor (optional)
Mindoro interior (optional), Easy Move table with travel function



summit




- ✔ Ingenious room-in-room solution with practical swing-wall bathroom
- ✔ Refrigerator with removable freezer compartment, can be opened in both directions

Copper Bora wood decor (optional)
Mindoro interior (optional), alternative tabletop (optional)



summit



- ✔ Spacious, open-plan interior
- ✔ Top quality framed windows for a special automotive look

Copper Bora wood decor (optional)
Mindoro interior (optional), alternative tabletop (optional)





- 01 **Swing-wall bathroom** with indirect lighting
- 02 **Sleep comfortably**
Large double bed in the rear



ALSO AVAILABLE AS PLUS SPECIAL MODEL

- 01 **Kitchenette**
Functional with loads of optimised storage space
- 02 **Convivial seating area**
For up to four persons



- 01 **Sleep like a king**
Two large single beds in the rear for restful nights in hotel-like comfort
- 02 **XXL swing-wall bathroom**
Loads of space, design and equipment for "wellness on-the-road"







OVERVIEW

summit
prime


6.36 m
5.99 m
5.41 m



SUMMIT PRIME 540



SUMMIT PRIME 600



SUMMIT PRIME 640

DIMENSIONS in mm

Length (approx.)	5,413	5,998	6,358
Width (approx.)	2,050	2,050	2,050
Height (approx.)	2,580	2,580	2,580
Wheelbase (approx.)	3,450	4,035	4,035
Interior height (approx.)	1,905	1,905	1,905

WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg

Gross vehicle weight (standard)	3,500	3,500	3,500
Mass in running order (approx.)*	2,695	2,890	3,010
Maximum recommended load with 20 l water (approx.)	605	410	490
Towing capacity, unbraked/braked**	750 / 2,500**	750 / 2,500**	750 / 2,500**

* Weight specifications with standard built-in equipment. 165/180 HP and higher, +40 kg. The maximum recommended load will change with instalment of optional extras ** Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT

Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10
Fresh water tank, l (approx.)	60	100	100
Wastewater tank, l (approx.)	110	110	110
Gas cylinder box for (kg)	1 x 11 and 1 x 5	1 x 11 and 1 x 5	2 x 11
Battery charger, A	16	16	16
Battery	12V/ 95 Ah	12V/ 95 Ah	12V/ 95 Ah
230V power sockets	1 / 2	1 / 2	1 / 2
Refrigerator, l (capacity/for freezer)	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8
Absorber/compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES

Windows in living space	6	6	5
Skylight with blackout roller blinds	1	2	2
Seats/three-point safety belts	4 / 4 (+1 optional)	4 / 4 (+1 optional)	4 / 4 (+1 optional)
Berths	2 (+1 optional)	2 (+1 optional)	2 (+1 optional)
Rear bed in mm (approx.)	1,960 x 1,200/1,410	1,960 x 1,560/1,430	2,000/1,900 x 800 / alternative: 2,000/1,900 x 1,900
Bed lateral to sliding door in mm (approx., as standard)	1,800 x 500	1,800 x 700	1,800 x 700
Possible Isofix fittings	1	2	2

summit prime HIGHLIGHTS



TOP-GRADE TOUCHLIGHTS
with night light.



SKYROOF®
Pop-up SkyRoof® with flyscreen and blackout blind.




UNIQUE AMBIENCE
Canopy with indirect lighting and additional LEDs for ideal illumination of the seating area.



REFRIGERATOR DOOR
The double-hinged refrigerator door provides access from the outside and inside.



FRONT WINDSCREEN BLACKOUT BLIND
From bottom to top: for larger field of vision out front and greater privacy. Half-closed everybody can look out, but nobody can look in.



PRIME LIGHTING CONCEPT
The lighting concept was exclusively designed for the PRIME to generate a comfortable, cosy ambience.




SKYROOF FROM INSIDE
Unique open-plan spatial concept with lots of head and legroom, like in a liner motorhome.



SUMMIT PRIME 540

summit prime



5.41 m


- ✓ Easy Move table with travel function
- ✓ Lighting fixtures under roof cabinet with night light function

Palisander wood decor
Samba interior (optional)



SUMMIT PRIME 600

summit prime



5.99 m


- ✓ Ingenious room-in-room solution with swing-wall bathroom
- ✓ Spacious, open-plan interior with SkyRoof®

Palisander wood decor
Samba interior (optional)



SUMMIT PRIME 640

summit prime



6.36 m

- ✓ Spacious interior like in a liner motorhome
- ✓ Bench seat made from ergonomically moulded upholstery
- ✓ Top quality framed windows for a particularly automotive look

Palisander wood decor
Samba interior (optional)






01 **Swing-wall bathroom**
with indirect lighting

02 **Kitchenette with compressor fridge**
Double-hinged to enable easy access from inside and outside the vehicle



01 **Spacious kitchen**
Plenty of cupboard and drawer space for all your utensils

02 **Extra-large seating area**
With ergonomic moulded seat pads, table with open-out section (optional)



01 **Sleep like a king**
Two large single beds in the rear

02 **Large swing-wall bathroom**
with ingeniously engineered swing-wall, sanitation package (optional)







OVERVIEW




6.36 m
5.99 m
5.41 m




SUMMIT SHINE 540



SUMMIT SHINE 600



SUMMIT SHINE 600L



SUMMIT SHINE 640

DIMENSIONS in mm

Length (approx.)	5,413	5,998	5,998	6,358
Width (approx.)	2,050	2,050	2,050	2,050
Height (approx.)	2,580	2,580	2,580	2,580
Wheelbase (approx.)	3,450	4,035	4,035	4,035
Interior height (approx.)	1,905	1,905	1,905	1,905

WEIGHT AND MAXIMUM RECOMMENDED LOAD in kg

Gross vehicle weight (standard)	3,500	3,500	3,500	3,500
Mass in running order (approx.)*	2,695	2,835	2,890	3,010
Maximum recommended load with 20 l water (approx.)	605	465	410	490
Towing capacity, unbraked/braked**	750 / 2,500	750 / 2,500**	750 / 2,500**	750 / 2,500**

* Weight specifications with standard built-in equipment. 165/180 HP and higher, +40 kg. The maximum recommended load will change with instalment of optional extras. ** Heavy/Maxi 750/3,000 kg

ON-BOARD TECHNICAL EQUIPMENT




	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4
Heater	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4
Boiler volume, l (approx.)	10	10	10	10
Fresh water tank, l (approx.)	85	100	100	100
Wastewater tank, l (approx.)	100	110	110	110
Gas cylinder box for (kg)	1 x 11 and 1 x 5	1 x 11 and 1 x 5	1 x 11 and 1 x 5	2 x 11
Battery charger, A	16	16	16	16
Battery	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah	12V / 95 Ah
230V power sockets	1 / 2	1 / 2	1 / 2	1 / 2
Refrigerator, l (capacity/for freezer)	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8	approx. 100 / 8
Absorber/compressor	Compressor	Compressor	Compressor	Compressor

LIVING AREA FITTINGS AND FEATURES

Windows in living space	5	6	5	5
Skylight with blackout roller blinds	1	2	2	2
Seats/three-point safety belts	3 / 3 (+1 optional) oder / 4 / 4 (+1 optional)	3 / 3 (+1 optional) oder / 4 / 4 (+1 optional)	3 / 3 (+1 optional) oder / 4 / 4 (+1 optional)	3 / 3 (+1 optional) oder / 4 / 4 (+1 optional)
Berths	2 (+1 optional)	2 (+1 optional)	2 (+1 optional)	2 (+1 optional)
Rear bed in mm (approx.)	1,960 x 1,200/1,410	1,960 x 1,560/1,430	2,000/1,800 x 800 / alternative: 2,000/1,800 x 1,900	2,000/1,900 x 800 / alternative: 2,000/1,900 x 1,900
Third bed in mm (approx. as standard)	1,600 x 720/650 x 100	1,600 x 720/650 x 100	1,600 x 720/650 x 100	1,600 x 720/650 x 100
Possible Isofix fittings	1	2	1	2

6.36 m
5.99 m

5.41 m



SUMMIT SHINE 540 R

SUMMIT SHINE 600LR

SUMMIT SHINE 640 R

5,413	5,998	6,358
2,050	2,050	2,050
2,580	2,580	2,580
3,450	4,035	4,035
1,905	1,905	1,905
3,500	3,500	3,500
2,695	2,890	3,010
605	410	490
750 / 2,500	750 / 2,500**	750 / 2,500**

Truma Combi 4	Truma Combi 4	Truma Combi 4
10	10	10
60	100	100
110	110	110
1 x 11 and 1 x 5	1 x 11 and 1 x 5	2 x 11
16	16	16
12V / 95 Ah	12V / 95 Ah	12V / 95 Ah
1 / 2	1 / 2	1 / 2
approx. 100 / 8	approx. 100 / 8	approx. 84 / 6
Compressor	Compressor	Compressor

5	5	5
3	4	4
3 / 3 (+1 optional) or / 4 / 4 (+1 optional) 2 (+1 optional)	3 / 3 (+1 optional) or / 4 / 4 (+1 optional) 2 (+1 optional)	3 / 3 (+1 optional) or / 4 / 4 (+1 optional) 2 (+1 optional)
1,960 x 1,200/1,410	2,000/1,800 x 800 / alternative: 2,000/1,800 x 1,900	2,000/1,900 x 800 / alternative: 2,000/1,900 x 1,900
1,600 x 720/650 x 100	1,600 x 720/650 x 100	1,600 x 720/650 x 100
1	1	2



summit *Shine* HIGHLIGHTS



FLEXIBLE STOWAGE SPACE CONCEPT

Depending on what you need, the MultiRoof shelf (optional) can be effortlessly lowered to create more storage space above the driver's cab. When it's not needed, the shelf can be simply pushed upwards into place or even removed completely.



EASY MOVE TISCH

The travel function is a practical feature enabling the table to be stowed away, creating more legroom (Summit Shine 540/540 R and 600L/600L R).

TOP QUALITY LIGHT RAILS

The matching spots and USB sockets of the light rail express an especially modern design.

SPACIOUS CEILING CABINETS

The guardrail in the ceiling cabinets additionally secures large and heavy items, while the optically continuous LED strips in the hatches provide even more light.

WASHROOM

Wet cell and room divider in one: The roller shutter transforms the interior into a spacious shower.



INNOVATIVE SEATING AREA

Single seat with extension for hinged seat (optional) or space for up to five persons thanks to optional 2+1 bench seat.




SWING-WALL WASHROOM

The swing wall means the shower and pivotable toilet with wash basin can be separate areas. With scratch-resistant ceramic inlay and storage facility.



SUMMIT SHINE 540

summit
Shine



5.41 m

- ✓ Atmospheric lighting throughout the living space
- ✓ Appealing seating area with Easy Move table incl. travel function



Kitchen with compressor refrigerator

Larger work surface thanks to hinged board




Mocha wood decor

Grigio Lucente interior, Easy Move table with travel function



SUMMIT SHINE 600

summit
Shine



5.99 m

- ✓ Flexible seating arrangement thanks to single or double seat each with extension option
- ✓ Spacious swing-wall bathroom for more space



Mocha wood decor

Grigio Lucente interior, convenient table with open-out section






Large length-wise bed
on compact vehicle length



Mocha wood decor
Grigio Lucente interior, Easy Move table with travel function

summit
Shine



- ✔ Top quality light rails in anthracite with matching spots and USB sockets
- ✔ Sleeping comfort in length-wise bed on 6-metre long vehicle base




Practical and innovative
Large swing-wall bathroom



Mocha wood decor
Grigio Lucente interior, convenient table with open-out section

summit
Shine




- ✔ Open driver's cab and amazing storage in one: MultiRoof with optional storage space
- ✔ Especially bright interior thanks to light rail and indirect illuminating storage hatches





summit




- ✓ Additional space when travelling in the seating area thanks to the Easy Move table
- ✓ Bench seat made of ergonomically shaped upholstery

Mocha wood decor

Grigio Lucente interior, Easy Move table with travel function, twin bench seat (optional)



summit




- ✓ Top quality light rails in anthracite with matching spots and USB sockets
- ✓ Sleeping comfort in length-wise bed on 6-metre long vehicle base

Mocha wood decor

Grigio Lucente interior, convenient table with travel function, twin bench seat (optional)



summit



- ✓ Spacious, open-plan interior
- ✓ Top quality framed windows for a special automotive look

Seating area with twin bench seat (optional)

Mocha standard decor and Grigio Lucente interior





01
Spacious bathroom
Wet cell and room divider
in one

02
**Kitchenette with
compressor fridge**
Double-hinged for easy ac-
cess from inside and outside
the vehicle



01
Kitchenette
Functional with loads of
optimised storage space

02
Large length-wise bed
on compact vehicle base



01
Open plan round kitchen
offering lots of space at the
cooker

02
Large-sized bathroom
with window





facebook.com/globecarreisemobile



instagram.com/globecar_reisemobile



youtube.com/poesslgroup



pinterest.de/poesslgroup



vimeo.com/poesslgroup



linkedin.com/company/poesslgroup



With dealerships in 14 countries –
we're ready to assist you!

And of course on

www.GLOBECAR.de

developed by papillo.de

A BRAND OF THE
POSSL GROUP

Rights reserved concerning technical specifications and errors. Please note that illustrations in this brochure may contain decorations, alternative designs or special equipment that are not included in the scope of delivery or for which additional charges may be incurred. All dimensions in millimetres, unless otherwise indicated. Information on technology, water supply and prices can be found in the separate price list. Minor deviations in colour may result due to the printing process. Prices include the currently applicable statutory value added tax. Update 08/2023

*According to EC Directive 97/27 EC and EU standard EN 1645-2, the "mass in running order" comprises the unladen weight of the vehicle – incl. driver (75 kg) and filled fuel tank as well as the following basic equipment: water tank with reduced volume (20 l), a filled aluminium gas cylinder (15 kg) and a cable reel (4 kg). The gross vehicle weight must not be exceeded when the personal equipment, persons travelling with the vehicle and any optional extras are taken into account. Installation of special accessories will reduce the maximum recommended load and may reduce the permitted number of persons. The information on the scope of delivery, appearance, performance, dimensions and weight of the vehicles corresponds to the knowledge available at the time of going to press, and the European homologation regulations. These can change up until the time the vehicle is purchased or until delivery. Deviations within the factory tolerances (+/- 5% max.) are possible and permissible.